

FS 2.60/9:11/44

# Morbidity and Mortality

Weekly  
Report

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

Prepared by the

COMMUNICABLE DISEASE CENTER

MEIrose 4-5131

For release November 9, 1962

ATLANTA 22, GEORGIA

Vol. 11, No. 44

PROVISIONAL INFORMATION ON SELECTED NOTIFIABLE DISEASES IN THE UNITED STATES AND ON DEATHS IN SELECTED CITIES FOR WEEK ENDED NOVEMBER 3, 1962

**POLIOMYELITIS** - A total of 16 cases of poliomyelitis (13 paralytic) was reported for the week ending November 3, 1962, from 46 of the 50 States. Reports have not yet been received from New Hampshire, West Virginia, South Carolina, and Washington. The comparable week in 1961 accounted for a total of 38 cases (23 paralytic).

Of the nine States reporting cases thus far this week, California accounted for four cases. Illinois and Michigan each reported three cases.

Thus far in 1962 poliovirus isolates from 204 cases of poliomyelitis have been reported. Type I poliovirus was isolated from 155 of these. Type II poliovirus was obtained from 3 cases and Type III poliovirus from 46.

The total of 581 cases of paralytic poliomyelitis reported through the 44th week in 1962 continues to be well below the comparable total for the previous low year (1961).

The cumulative totals for poliomyelitis through the

Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES


(Cumulative totals include revised and delayed reports through previous week)

Disease	44th Week			Cumulative		
	Ended	Ended	Median 1957 - 1961	First 44 weeks		Median 1957 - 1961
	November 3, 1962	November 4, 1961		1962	1961	
Aseptic meningitis.....	69	68	---	2,213	2,818	---
Brucellosis.....	4	8	11	346	498	654
Diphtheria.....	9	13	34	376	481	642
Encephalitis, infectious.....	23	39	39	1,508	1,434	1,575
Hepatitis, infectious and serum...	850	1,112	509	46,332	62,879	18,792
Measles.....	1,495	1,767	1,611	451,135	394,853	403,312
Meningococcal infections.....	29	50	47	1,805	1,820	1,951
Poliomyelitis, total.....	16	38	88	732	1,180	5,124
Paralytic.....	13	23	65	581	764	2,510
Nonparalytic.....	2	13	11	106	288	1,838
Unspecified.....	1	2	12	45	128	776
Streptococcal sore throat and Scarlet fever.....	4,987	4,822	---	263,870	268,482	---
Tetanus.....	4	---	---	242	---	---
Tularemia.....	3	---	---	244	---	---
Typhoid fever.....	22	24	20	538	705	735
Typhus fever, tick-borne, (Rocky Mountain spotted).....	2	---	---	211	---	---
Rabies in Animals.....	54	53	48	3,172	2,932	3,282

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

Anthrax: Mass. - 1  
Botulism:  
Malaria: Mass.-1, Conn.-1, N.C.-9, Hawaii-2, Calif.- 2  
Plague:

Psittacosis: Mich. - 1, Colo. - 1  
Rabies in Man:  
Smallpox:  
Typhus, murine:



44th week in 1962 and for the comparable periods during the past four years are shown in the following table:

#### Poliomyelitis (1st Through 44th Week) 1958-1962

	1962	1961	1960	1959	1958
Paralytic	581	764	1997	5044	2585
Total	732	1180	2886	7671	5200

The number of cases of poliomyelitis for the most recent 6 weeks in 1962 is compared to similar periods for the previous four years in the table below:

#### Poliomyelitis (39th Through 44th Week) 1958-1962

	1962	1961	1960	1959	1958
Paralytic	142	207	551	1273	905
Total	171	331	775	1721	1767

**HEPATITIS** – A total of 850 cases of viral hepatitis was reported for the week ending November 3. This represents a slight decrease in reported cases from the previous week (892); however, reports have been delayed from several States.

During the comparable week in 1961, 1,112 cases of viral hepatitis were reported. As seen in the graph above, the number of cases in the "over 20" age group is at the same level for 1961 and 1962, while a decreased number of cases in the "under 20" age group accounts for the lower total in 1962.

#### EPIDEMIOLOGICAL REPORT

##### Staphylococcal Food Poisoning – Navy Installation

During the evening of July 23, 16 enlisted personnel at a U.S. Navy installation experienced symptoms of acute gastroenteritis within a five hour period after consuming the evening meal. The frequency of selected symptoms among the 16 patients is shown on page 347.

Symptoms	No. Experiencing Symptoms
Nausea	15
Vomiting	14
Diarrhea	14
Abdominal cramps	12
Chills	6

Fever and sore throat were each reported by four patients and headache by five. White blood counts done on 13 of the group showed counts ranging from 7250 to 18,000 with a median count of 13,900.

Suspect items on the menu included the following: beef croquettes, stuffed cabbage rolls, egg salad, bread pudding and lemon sauce. Those who reported ill and 31

asymptomatic individuals were questioned regarding a history of food consumption. Incidence of illness in persons eating each food on the menu is shown in the table below:

Food	Total Eating	No. Ill	% Ill	Total Not Eating	No. Ill	% Ill
Egg Salad	19	16	84	28	0	0
Beef Croquettes	17	9	53	30	7	23
Stuffed Cabbage	16	7	43	31	9	29
Bread Pudding	22	7	32	25	9	28
Lemon Sauce	16	6	37	31	10	32


The egg salad clearly was the most suspect food. The eggs had been boiled early on the afternoon of July 23, shelled and delivered to the vegetable preparation

(Continued on page 352)

#### SUMMARY OF DEATHS AMONG PERSONS 65 YEARS AND OVER IN 108 U. S. CITIES

The weekly average number of deaths among persons 65 years and over in 108 cities for the four-week period ending November 3 was 6,160 as compared with an expected 6,169 weekly average.

	WEEK ENDING				4 Week Total	Weekly Average
	10/13	10/20	10/27	11/3		
Observed	5,622	6,543	6,044	6,433	24,642	6,160
Expected	6,073	6,136	6,201	6,267	24,677	6,169
Excess	-451	407	-157	166	-35	-9



(See Table, page 351)

## Morbidity and Mortality Weekly Report

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES—UNITED STATES  
FOR WEEKS ENDED  
NOVEMBER 4, 1961 AND NOVEMBER 3, 1962

Area	Poliomyelitis, Total Cases				Poliomyelitis, Paralytic				Poliomyelitis, Nonparalytic		Aseptic Meningitis	
	44th week		Cumulative First 44 weeks		44th week		Cumulative First 44 weeks		44th week		44th week	
	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961
UNITED STATES.....	16	38	732	1,180	13	23	581	764	2	13	69	68
NEW ENGLAND.....	-	2	7	34	-	2	7	23	-	-	3	5
Maine.....	-	1	-	5	-	1	-	5	-	-	-	-
New Hampshire.....	---	-	-	2	---	-	-	-	---	-	---	-
Vermont.....	-	1	-	7	-	1	-	6	-	-	-	-
Massachusetts.....	-	-	6	14	-	-	6	8	-	-	2	4
Rhode Island.....	-	-	-	1	-	-	-	1	-	-	1	1
Connecticut.....	-	-	1	5	-	-	1	3	-	-	-	-
MIDDLE ATLANTIC.....	1	10	72	306	1	8	52	203	-	1	2	3
New York.....	-	7	54	226	-	5	37	146	-	1	2	-
New Jersey.....	1	1	7	35	1	1	7	28	-	-	-	-
Pennsylvania.....	-	2	11	45	-	2	8	29	-	-	-	3
EAST NORTH CENTRAL.....	8	3	109	148	5	2	78	90	2	-	4	20
Ohio.....	1	1	19	43	1	-	17	19	-	-	3	1
Indiana.....	-	-	18	16	-	-	12	9	-	-	-	-
Illinois.....	3	2	48	32	2	2	33	15	1	-	1	7
Michigan.....	3	-	17	28	2	-	13	24	1	-	-	12
Wisconsin.....	1	-	7	29	-	-	3	23	-	-	-	-
WEST NORTH CENTRAL.....	-	1	37	69	-	-	26	30	-	1	4	6
Minnesota.....	-	-	7	6	-	-	7	6	-	-	3	6
Iowa.....	-	-	7	18	-	-	3	9	-	-	-	-
Missouri.....	-	1	10	23	-	-	5	6	-	1	-	-
North Dakota.....	-	-	4	4	-	-	2	1	-	-	-	-
South Dakota.....	-	-	1	1	-	-	1	-	-	-	-	-
Nebraska.....	-	-	8	8	-	-	8	4	-	-	-	-
Kansas.....	-	-	-	9	-	-	-	4	-	-	1	-
SOUTH ATLANTIC.....	2	12	57	207	2	3	52	150	-	9	8	7
Delaware.....	-	-	-	2	-	-	-	1	-	-	3	-
Maryland.....	-	9	1	39	-	-	1	29	-	9	1	-
District of Columbia..	-	-	2	3	-	-	1	3	-	-	-	-
Virginia.....	-	-	9	13	-	-	9	13	-	-	3	5
West Virginia.....	---	1	6	31	---	1	6	21	---	-	---	1
North Carolina.....	1	-	11	21	1	-	9	11	-	-	-	-
South Carolina.....	---	1	6	34	---	1	6	26	---	-	---	-
Georgia.....	-	-	14	30	-	-	13	23	-	-	-	-
Florida.....	1	1	8	34	1	1	7	23	-	-	1	1
EAST SOUTH CENTRAL.....	-	3	65	89	-	3	54	50	-	-	2	6
Kentucky.....	-	-	25	27	-	-	20	5	-	-	-	1
Tennessee.....	-	-	9	26	-	-	4	10	-	-	-	-
Alabama.....	-	1	22	10	-	1	22	10	-	-	2	1
Mississippi.....	-	2	9	26	-	2	8	25	-	-	-	4
WEST SOUTH CENTRAL.....	1	3	295	143	1	2	230	77	-	1	8	5
Arkansas.....	-	1	14	19	-	-	14	8	-	1	1	2
Louisiana.....	-	1	24	50	-	1	21	39	-	-	-	-
Oklahoma.....	1	-	21	4	1	-	16	-	-	-	3	1
Texas.....	-	1	236	70	-	1	179	30	-	-	4	2
MOUNTAIN.....	-	-	14	44	-	-	10	25	-	-	8	-
Montana.....	-	-	4	4	-	-	3	2	-	-	-	-
Idaho.....	-	-	2	14	-	-	1	6	-	-	-	-
Wyoming.....	-	-	2	-	-	-	1	-	-	-	-	-
Colorado.....	-	-	2	7	-	-	1	7	-	-	6	-
New Mexico.....	-	-	-	3	-	-	-	-	-	-	-	-
Arizona.....	-	-	3	8	-	-	3	6	-	-	2	-
Utah.....	-	-	1	8	-	-	1	4	-	-	-	-
Nevada.....	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC.....	4	4	76	140	4	3	72	116	-	1	30	16
Washington.....	---	2	5	26	---	2	5	26	---	-	---	2
Oregon.....	-	1	5	17	-	-	5	8	-	1	-	1
California.....	4	-	66	92	4	-	62	77	-	-	30	13
Alaska.....	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii.....	-	1	-	5	-	1	-	5	-	-	-	-
Puerto Rico.....	-	-	11	7	-	-	11	7	-	-	-	-

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES  
FOR WEEKS ENDED  
NOVEMBER 4, 1961 AND NOVEMBER 3, 1962 - (Continued)

Area	Brucellosis		Diphtheria		Encephalitis, Infectious		Hepatitis, Infectious and Serum				Measles	
	44th week	Cumulative 44 weeks	44th week	Cumulative 44 weeks	44th week		44th week				44th week	
							Under 20 yr.	20 & over	Total	Total		
							1962	1962	1962	1961	1962	1961
UNITED STATES.....	4	346	9	376	23	39	430	373	850	1,112	1,495	1,787
NEW ENGLAND.....	-	4	-	2	1	1	54	32	86	62	105	274
Maine.....	-	-	-	-	-	-	21	11	32	6	25	81
New Hampshire.....	---	-	---	-	---	-	---	---	---	5	---	21
Vermont.....	-	1	-	-	-	-	5	-	5	1	2	5
Massachusetts.....	-	1	-	1	-	1	25	17	42	36	58	126
Rhode Island.....	-	-	-	1	-	-	1	2	3	5	3	2
Connecticut.....	-	2	-	-	1	-	2	2	4	9	17	39
MIDDLE ATLANTIC.....	-	8	-	12	9	7	86	90	176	116	150	116
New York.....	-	4	-	10	7	5	54	52	106	55	55	76
New Jersey.....	-	1	-	1	-	-	12	10	22	35	48	31
Pennsylvania.....	-	3	-	1	2	2	20	28	48	26	47	9
EAST NORTH CENTRAL.....	1	78	-	10	-	7	69	50	121	239	537	269
Ohio.....	-	1	-	-	-	3	28	12	41	67	65	16
Indiana.....	-	5	-	5	-	-	7	3	10	30	27	-
Illinois.....	-	55	-	2	-	2	8	8	17	41	25	119
Michigan.....	1	6	-	3	-	2	22	25	47	100	164	75
Wisconsin.....	-	11	-	-	-	-	4	2	6	1	256	59
WEST NORTH CENTRAL.....	2	134	1	85	3	2	19	14	38	109	128	60
Minnesota.....	1	13	-	24	1	-	2	2	9	43	11	14
Iowa.....	1	78	1	15	-	-	4	-	4	34	65	6
Missouri.....	-	4	-	5	-	-	9	4	13	12	6	2
North Dakota.....	-	2	-	7	1	-	1	-	1	2	45	35
South Dakota.....	-	11	-	15	-	-	-	-	-	3	-	3
Nebraska.....	-	12	-	18	-	-	3	5	8	9	1	-
Kansas.....	-	14	-	1	1	2	-	3	3	6	NN	NN
SOUTH ATLANTIC.....	-	27	8	107	4	1	38	28	69	124	56	205
Delaware.....	-	1	-	-	-	-	-	1	1	-	-	-
Maryland.....	-	1	-	-	1	-	3	3	6	10	1	20
District of Columbia..	-	-	-	2	1	-	-	1	1	6	-	1
Virginia.....	-	13	-	12	-	-	11	6	19	30	26	22
West Virginia.....	---	-	---	2	---	-	---	---	---	15	---	126
North Carolina.....	-	2	-	11	-	1	19	8	27	36	1	20
South Carolina.....	---	-	---	10	---	-	---	---	---	6	---	1
Georgia.....	-	3	7	37	-	-	2	2	4	4	1	4
Florida.....	-	8	1	33	2	-	3	7	11	17	27	11
EAST SOUTH CENTRAL.....	-	16	-	28	-	1	66	56	122	172	42	122
Kentucky.....	-	1	-	-	-	-	8	8	16	47	7	9
Tennessee.....	-	7	-	7	-	-	19	9	28	59	32	100
Alabama.....	-	6	-	14	-	-	28	29	57	20	1	8
Mississippi.....	-	2	-	7	-	1	11	10	21	46	2	5
WEST SOUTH CENTRAL.....	1	34	-	112	2	10	28	26	54	89	64	260
Arkansas.....	1	9	-	18	-	1	4	5	9	12	1	2
Louisiana.....	-	8	-	9	-	-	7	4	11	15	-	-
Oklahoma.....	-	6	-	6	-	2	3	1	4	9	-	82
Texas.....	-	11	-	79	2	7	14	16	30	53	63	176
MOUNTAIN.....	-	12	-	9	1	3	9	5	39	44	167	142
Montana.....	-	1	-	6	-	-	3	1	4	2	78	55
Idaho.....	-	1	-	1	-	-	-	-	3	4	16	32
Wyoming.....	-	1	-	-	-	-	1	-	1	-	-	-
Colorado.....	-	2	-	-	-	-	1	-	12	11	27	15
New Mexico.....	-	-	-	2	-	-	1	1	2	6	NN	NN
Arizona.....	-	3	-	-	-	2	-	-	11	3	25	11
Utah.....	-	4	-	-	1	1	3	3	6	14	21	19
Nevada.....	-	-	-	-	-	-	-	-	-	4	-	10
PACIFIC.....	-	33	-	11	3	7	61	72	145	157	246	339
Washington.....	---	-	---	-	---	-	---	---	---	25	---	115
Oregon.....	-	3	-	-	-	-	11	8	19	25	56	44
California.....	-	28	-	6	3	7	37	59	101	98	91	135
Alaska.....	-	1	-	5	-	-	13	5	25	8	31	44
Hawaii.....	-	1	-	-	-	-	-	-	-	1	68	1
Puerto Rico.....	-	-	-	35	-	-	19	3	22	17	37	72



Table 3 CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES  
FOR WEEKS ENDED

NOVEMBER 4, 1961 AND NOVEMBER 3, 1962 - (Continued)

Area	Meningococcal Infections		Streptococcal Sore Throat & Scarlet Fever		Tetanus	Tickborne Typhus (Rocky Mt. Spotted)	Tularemia	Typhoid Fever		Rabies in Animals		
	44th wk.	Cumulative 44 weeks	44th week		44th wk.	44th wk.	44th wk.	44th wk.	Cumulative 44 weeks	44th week		Cumulative 44 weeks
	1962	1962	1962	1961	1962	1962	1962	1962	1962	1962	1961	1962
UNITED STATES....	29	1,805	4,987	4,822	4	2	3	22	538	54	53	3,172
NEW ENGLAND.....	4	110	401	201	-	-	-	-	11	-	-	2
Maine.....	-	16	7	22	-	-	-	-	2	-	-	1
New Hampshire.....	---	3	---	4	---	---	---	---	-	---	-	-
Vermont.....	1	4	42	4	-	-	-	-	-	-	-	-
Massachusetts.....	1	43	60	55	-	-	-	-	8	-	-	1
Rhode Island.....	1	13	38	28	-	-	-	-	1	-	-	-
Connecticut.....	1	31	254	88	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC....	12	322	190	179	-	-	-	1	54	4	3	135
New York.....	8	145	108	119	-	-	-	1	27	1	2	87
New Jersey.....	1	80	53	31	-	-	-	-	12	-	-	1
Pennsylvania.....	3	97	29	29	-	-	-	-	15	3	1	47
EAST NORTH CENTRAL..	2	346	388	345	-	-	-	2	86	15	9	699
Ohio.....	-	102	60	43	-	-	-	-	42	8	2	352
Indiana.....	-	27	90	64	-	-	-	1	12	2	3	182
Illinois.....	-	79	60	66	-	-	-	-	17	2	1	89
Michigan.....	2	116	88	107	-	-	-	-	10	1	2	40
Wisconsin.....	-	22	90	65	-	-	-	1	5	2	1	36
WEST NORTH CENTRAL..	1	97	162	125	-	-	-	1	25	11	18	839
Minnesota.....	-	19	7	6	-	-	-	-	2	6	6	199
Iowa.....	-	11	47	32	-	-	-	-	-	2	5	325
Missouri.....	1	22	5	8	-	-	-	1	18	3	3	142
North Dakota.....	-	8	66	73	-	-	-	-	2	-	2	48
South Dakota.....	-	6	3	4	-	-	-	-	1	-	2	97
Nebraska.....	-	17	4	-	-	-	-	-	2	-	-	21
Kansas.....	-	14	30	2	-	-	-	-	-	-	-	7
SOUTH ATLANTIC.....	2	275	366	379	2	2	-	3	98	6	2	319
Delaware.....	-	34	5	2	-	-	-	-	2	-	-	-
Maryland.....	-	20	4	13	-	-	-	-	3	-	-	2
Dist. of Columbia..	-	7	3	1	-	-	-	-	7	-	-	-
Virginia.....	2	60	134	121	-	-	-	2	18	4	-	126
West Virginia.....	---	14	---	116	---	---	---	---	5	---	1	120
North Carolina.....	-	65	26	29	-	2	-	-	6	-	-	-
South Carolina.....	---	18	---	18	---	---	---	---	9	---	-	-
Georgia.....	-	11	3	-	-	-	-	-	24	-	-	9
Florida.....	-	46	191	79	2	-	-	1	24	2	1	62
EAST SOUTH CENTRAL..	1	116	1,117	933	-	-	-	6	51	4	5	324
Kentucky.....	-	32	40	51	-	-	-	-	10	1	3	113
Tennessee.....	1	47	938	767	-	-	-	6	23	3	2	188
Alabama.....	-	20	10	37	-	-	-	-	11	-	-	23
Mississippi.....	-	17	129	78	-	-	-	-	7	-	-	-
WEST SOUTH CENTRAL..	2	150	477	641	2	-	3	2	121	2	14	563
Arkansas.....	-	15	-	5	1	-	3	-	31	-	-	65
Louisiana.....	-	66	5	5	1	-	-	1	31	-	-	20
Oklahoma.....	-	7	5	10	-	-	-	-	6	2	-	28
Texas.....	2	62	467	621	-	-	-	1	53	-	14	450
MOUNTAIN.....	2	59	1,096	1,086	-	-	-	4	43	2	-	34
Montana.....	1	5	27	63	-	-	-	-	10	-	-	-
Idaho.....	-	3	107	85	-	-	-	-	1	-	-	-
Wyoming.....	-	5	16	41	-	-	-	-	3	-	-	-
Colorado.....	-	9	483	383	-	-	-	3	8	-	-	4
New Mexico.....	-	6	261	286	-	-	-	-	12	-	-	13
Arizona.....	-	14	129	149	-	-	-	1	8	2	-	17
Utah.....	1	9	73	78	-	-	-	-	1	-	-	-
Nevada.....	-	8	-	1	-	-	-	-	-	-	-	-
PACIFIC.....	3	330	790	933	-	-	-	3	49	10	2	257
Washington.....	---	21	---	306	---	---	---	---	1	---	-	-
Oregon.....	-	20	23	34	-	-	-	-	1	-	-	17
California.....	3	277	685	526	-	-	-	3	46	10	2	240
Alaska.....	-	8	8	29	-	-	-	-	-	-	-	-
Hawaii.....	-	4	74	38	-	-	-	-	1	-	-	-
Puerto Rico.....	1	9	2	2	-	-	-	-	16	1	2	19

## Morbidity and Mortality Weekly Report

351

Table 4 (D). TOTAL DEATHS AMONG PERSONS 65 YEARS AND OVER IN REPORTING CITIES

(Tables 4(A), 4(B), 4(C), and 4(D) will be published in sequence covering a four-week period.<sup>o</sup>)

Area	For weeks ending				Area	For weeks ending			
	10/13	10/20	10/27	11/3		10/13	10/20	10/27	11/3
<b>NEW ENGLAND:</b>					<b>SOUTH ATLANTIC:</b>				
Boston, Mass.....	132	121	129	144	Atlanta, Ga.....	50	50	51	43
Bridgeport, Conn.....	24	26	19	29	Baltimore, Md.....	108	117	105	129
Cambridge, Mass.....	17	24	19	24	Charlotte, N.C.....	13	14	21	20
Fall River, Mass.....	11	20	20	22	Jacksonville, Fla.....	19	24	25	42
Hartford, Conn.....	26	32	34	23	Miami, Fla.....	33	34	33	38
Lowell, Mass.....	12	13	22	13	Norfolk, Va.....	22	23	21	22
Lynn, Mass.....	13	22	23	25	Richmond, Va.....	49	50	41	47
New Bedford, Mass.....	13	21	19	20	Savannah, Ga.....	12	8	16	10
New Haven, Conn.....	26	33	23	37	St. Petersburg, Fla.....	53	44	48	54
Providence, R.I.....	34	36	49	48	Tampa, Fla.....	28	39	25	40
Somerville, Mass.....	8	12	10	12	Washington, D.C.....	93	77	82	93
Springfield, Mass.....	31	23	25	28	Wilmington, Del.....	23	17	16	19
Waterbury, Conn.....	7	20	12	15					
Worcester, Mass.....	28	30	40	49	<b>EAST SOUTH CENTRAL:</b>				
<b>MIDDLE ATLANTIC:</b>					Birmingham, Ala.....	51	35	43	34
Albany, N.Y.....	35	18	30	24	Chattanooga, Tenn.....	29	24	30	22
Allentown, Pa.....	21	22	16	19	Knoxville, Tenn.....	11	14	14	17
Buffalo, N.Y.....	67	78	85	92	Louisville, Ky.....	56	79	60	54
Camden, N.J.....	18	24	14	31	Memphis, Tenn.....	48	72	44	58
Elizabeth, N.J.....	14	23	19	21	Mobile, Ala.....	22	24	19	18
Erie, Pa.....	20	25	18	22	Montgomery, Ala.....	9	13	16	14
Jersey City, N.J.....	51	54	43	32	Nashville, Tenn.....	25	37	22	19
Newark, N.J.....	37	62	38	47	<b>WEST SOUTH CENTRAL:</b>				
New York City, N.Y.....	829	940	884	953	Austin, Tex.....	24	13	18	25
Paterson, N.J.....	21	31	21	25	Baton Rouge, La.....	7	13	14	10
Philadelphia, Pa.....	218	229	275	269	Corpus Christi, Tex.....	12	11	9	13
Pittsburgh, Pa.....	57	128	108	131	Dallas, Tex.....	66	67	54	70
Reading, Pa.....	14	19	15	9	El Paso, Tex.....	15	11	18	20
Rochester, N.Y.....	63	79	67	70	Fort Worth, Tex.....	33	35	44	35
Schenectady, N.Y.....	14	22	14	8	Houston, Tex.....	56	79	62	98
Scranton, Pa.....	25	34	30	22	Little Rock, Ark.....	30	32	32	31
Syracuse, N.Y.....	51	35	31	58	New Orleans, La.....	81	96	82	66
Trenton, N.J.....	30	30	21	23	Oklahoma City, Okla.....	37	36	31	41
Utica, N.Y.....	17	22	11	17	San Antonio, Tex.....	72	61	47	59
Yonkers, N.Y.....	15	29	20	23	Shreveport, La.....	29	35	22	21
<b>EAST NORTH CENTRAL:</b>					Tulsa, Okla.....	32	36	22	38
Akron, Ohio.....	24	37	37	39	<b>MOUNTAIN:</b>				
Canton, Ohio.....	15	14	25	28	Albuquerque, N. Mex.....	10	15	15	18
Chicago, Ill.....	313	457	358	396	Colorado Springs, Colo...	13	11	17	14
Cincinnati, Ohio.....	87	93	91	97	Denver, Colo.....	55	57	75	58
Cleveland, Ohio.....	108	106	111	113	Ogden, Utah.....	7	10	8	7
Columbus, Ohio.....	60	68	54	59	Phoenix, Ariz.....	41	57	52	40
Dayton, Ohio.....	36	38	39	48	Pueblo, Colo.....	10	11	13	13
Detroit, Mich.....	179	195	182	185	Salt Lake City, Utah.....	25	35	31	22
Evansville, Ind.....	25	25	32	18	Tucson, Ariz.....	27	20	23	30
Flint, Mich.....	22	25	24	18	<b>PACIFIC:</b>				
Fort Wayne, Ind.....	26	16	16	18	Berkeley, Calif.....	7	8	12	13
Cary, Ind.....	17	15	13	15	Fresno, Calif.....	16	28	24	31
Grand Rapids, Mich.....	19	23	29	23	Glendale, Calif.....	19	39	20	28
Indianapolis, Ind.....	84	89	74	85	Honolulu, Hawaii.....	19	21	17	12
Madison, Wis.....	19	24	22	15	Long Beach, Calif.....	33	36	35	29
Milwaukee, Wis.....	57	96	61	63	Los Angeles, Calif.....	255	297	283	312
Peoria, Ill.....	16	7	19	12	Oakland, Calif.....	54	60	44	64
Rockford, Ill.....	11	9	21	11	Pasadena, Calif.....	20	34	29	21
South Bend, Ind.....	18	28	21	23	Portland, Oreg.....	73	61	65	79
Toledo, Ohio.....	41	70	62	69	Sacramento, Calif.....	32	30	29	24
Youngstown, Ohio.....	27	43	35	43	San Diego, Calif.....	51	40	49	63
<b>WEST NORTH CENTRAL:</b>					San Francisco, Calif.....	86	153	106	103
Des Moines, Iowa.....	36	28	47	35	San Jose, Calif.....	21	30	23	23
Duluth, Minn.....	19	16	6	12	Seattle, Wash.....	70	113	80	81
Kansas City, Kans.....	20	18	24	26	Spokane, Wash.....	34	37	31	36
Kansas City, Mo.....	75	85	72	78	Tacoma, Wash.....	19	38	29	21
Lincoln, Nebr.....	13	18	14	23					
Minneapolis, Minn.....	62	84	73	74	San Juan, P.R.....	18	11	24	9
Omaha, Nebr.....	53	30	63	41					
St. Louis, Mo.....	125	143	144	164					
St. Paul, Minn.....	35	51	54	32					
Wichita, Kans.....	15	29	24	37					

<sup>o</sup> Current Week Mortality for 108 Selected Cities

4(A) Total Mortality, all ages..... 11,410

4(B) Pneumonia-Influenza Deaths, all ages..... 422

4(C) Total Deaths under 1 Year of Age..... 759

4(D) Total Deaths, Persons 65 years and over..... 6,433

Totals for previous weeks include reported corrections.


NOTE: All deaths by place of occurrence.



room. One mess cook prepared the egg salad by adding mayonnaise and relish to the chopped eggs. The salad was placed on the food-serving line approximately one hour before the evening meal service.

The mess cook who prepared the egg salad was found to have a frank, purulent tonsillitis. *Staphylococcus aureus* was isolated from his throat culture. Of 16 additional mess cooks, seven were found to have on their hands open lesions with some erythema but no overt purulence. From three of these lesions *staphylococcus aureus* was also isolated. The *staphylococcus* strains isolated were non-typable.

(Reported by Lieutenant Stephen J. Kendra, M.C., U.S. Navy Preventive Medicine Unit No. 2, Norfolk, Virginia.)



#### INTERNATIONAL NOTES - QUARANTINE MEASURES

No Report.

#### NOTICE

Due to observance of Armed Forces Day, the report for the week ending November 10, (Vol. 11, No. 45) will be mailed on Friday, November 16, rather than Thursday, November 15.

U. S. DEPARTMENT OF  
HEALTH, EDUCATION, AND WELFARE  
PUBLIC HEALTH SERVICE  
Communicable Disease Center  
Atlanta 22, Georgia  
Official Business



POSTAGE AND FEES PAID  
U. S. DEPARTMENT OF H. E. W.